


CONTI

● ***POWER TOOL RANGE*** ●

CATALOGUE



2011

UPDATED 3rd JANUARY 2011

CATALOGUE 2011

PRODUCT DESCRIPTION

PICTURE

PRODUCT DESCRIPTION

PICTURE

CCT-B10

**CORDLESS 4 in 1
TOOL SET**

- Blow mould case
- One cordless drill
- One Cordless sander
- One Cordless Jigsaw
- One Cordless Angle grinder
- 6 pcs drills
- 6 pieces screwdriver bits
- 1 pc bits holder
- 2 pcs spanners
- Two batteries
- 18V Cordless



HL-DT03A

CORDLESS DRILL

- chuck:10mm
- torque control:
16 torque settings
- max torque force: 10Nm

HL-DS01

CORDLESS SANDER

- sanding plate speed:
6000 RPM
- sanding sheet size: 90mm

HL-DJ01

CORDLESS JIGSAW

- no load max stroke per
minute: 1700SPM
- Cutting depth 50mm

HL-DA01

CORDLESS GRINDER

- Voltage: 18V
- No load speed: 5500RPM
- Grinding wheel: 100mm



CTK-19

19 PIECE SET

- 1pc 3m Measure tape
- 8PC Hex Wrenches1
- 5-6MM
- 2PC6*100MM screwdriver
- 8OZ Claw Hammer
- 1PC Sissor
- 1PC 8"SPIRIT LEVEL
- 1PC Mini Hand Saw
- 2PC Mini Screwdriver
- 1PC6"Combination Plier
- 1PC Knief



CTK-400

4 PIECE COMBINATED TOOLS

- 4PCS Combinated Tools
- 13mm 500W Impact Drill
- 115mm 500w Angle Grinder
- 55mm 350W jig saw
- 187x90mm 135w Belt sander



CAG 115

ANGLE GRINDER

115MM 500W angle grinder



VARIABLE SPEED JIGSAW

CJS-109

55mm 350W jig saw
blow moulded case



CATALOGUE 2011

PRODUCT DESCRIPTION

PICTURE

PRODUCT DESCRIPTION

PICTURE

CID 13
IMPACT DRILL
13MM 500W IMPACT DRILL



187X90MM ORBITAL SANDER
COS-211

Rated Input Power:135w
Rated Voltage:110v-240v
Rated Frequency:50/60hz
No-load speed:0-10000r/min
Case Quantity:10pcs/ctn
G.w/N.w:15/13.5kgs
Packing Size:49x29x33cm



HIGH PRESSURE WASHER
CHW-204

6.8MPA
5.5L/MIN
1500W



GENERATOR
Model: CG-950

- 2 Stroke 850W
- Revolving magnetic field
- AVR (Auto voltage Regulator)
- 2 Poles
- Single phase - 50Hz
- Max AC output: 0.75KVA
- Forced air-cooled engine
- Reed valve
- 63ml displacement
- Max output:2.0Hp/3600rpm
- 6.3 continuous operating hours
- 60 dB(A) operating noise level
- Dimensions: 385x320x330mm
- 21kg dry weight
- Manual starting



GENERATOR
Model: CG-1500

- 4 Stroke 1500W
- AVR (Auto voltage Regulator)
- Revolving magnetic field
- 2 Poles
- Single phase
- 50Hz
- Max AC output: 0.90KVA
- Forced air-cooled engine
- Reed valve
- 118ml displacement
- Max output: 4.0Hp/4000rpm
- 12 continuous operating hours
- 63 dB(A) operating noise level
- Dimensions: 560x440x460mm
- 42kg dry weight
- Fuel gauge
- Manual starting



GENERATOR
Model: CG-2500

- 4 Stroke 2500W
- Revolving magnetic field
- AVR (Auto voltage Regulator)
- 2 Poles
- Single phase
- 50Hz
- Max AC output: 2.3KVA
- Forced air-cooled engine
- Reed valve
- 163ml displacement
- Max output:5.5Hp 4000rpm
- 11 continuous operating hours
- 65 dB(A) operating noise level
- Dimensions: 560x440x460mm
- 45kg dry weight
- Fuel gauge
- Manual starting



CATALOGUE 2011

PRODUCT DESCRIPTION

PICTURE

PRODUCT DESCRIPTION

PICTURE

GENERATOR

Model: CG-6500

- 4 Stroke 5.5KVA
- Air cooled
- Single phase
- 50Hz
- Brushless
- Recoil
- Manual starting
- 22L fuel tank capacity
- 75 dB(A)
- operating noise level
- Dimensions:
- 700x530x550mm
- 87kg dry weight
- 8.2 Continuous operating hours



GENERATOR

Model: CGD-365

- 5.5KVA - Diesel
- Single phase/ 3 phase
- 50Hz
- AVR (Auto voltage Regulator)
- Recoil
- Electric starting
- 12L fuel tank capacity
- 70 dB(A)
- operating noise level
- Dimensions:
- 950x565x770mm
- 161kg dry weight



DIESEL 11.7 KVA 3 PHASE GENERATOR

Model: CGD-130

3 Phase, - 10KW silent type - 4 protection controller box.,
3 cylinders - 18HP motor - Electric start
fuel tank :60lt - 10 hour running time weight: 630kgs
Noise level: 75 db(7m)



DIESEL 117 KVA 3 PHASE GENERATOR WITH ATS

Model: CGD-1100

50HZ/400V THREE PHASE, - 110KW SILENT TYPE,
ATS AND 4 PROTECTION CONTROLLER BOX.,
6 CYLINDERS ALTERNATOR: TFX-110 (brushless)
PLY WOODEN CASE PACKAGING FUEL TANK :225LT
10 HOUR RUNNING TIME WEIGHT: 3210KGS 8 PCS/40HQ
NOISE LEVEL: 79 DB(7M)

